



V4 SUBMERSIBLE PUMPS

V4 SUBMERSIBLE PUMPS

(Suitable for 5" & Above Dia Bore Wells)

Rotor: Copper, **Winding:** Copper Winding (Pvc Insulated)

Motor: SS Body,

Bowl & Impeller: Noryl / PVC Origin with ss neck ring

(4RSMTS = 1 Phase, 4RSMTT= 3 Phase & Followed by Impeller Size)



PER STAGE: 20 FEET HEAD

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 1.25"	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					15	30	35	40	50	60	70		
4RSMTS1-10	0.5	10			55	50	45	40	35	25	15		13536
4RSMTS1-12	0.75	12			66	60	54	48	40	30	16		14824
4RSMTS1-18	1	18			99	90	81	72	60	45	27		16348
4RSMTS1-25	1.5	25		TOTAL HEAD IN METER	138	125	113	100	75	50	25		19485
4RSMTS1-35	2	35			193	175	158	140	105	70	35		26260
4RSMTS1-45	3	45			248	225	203	180	135	90	45		30100
4RSMTT1-25	1.5	25			138	125	113	100	85	60	36		19485
4RSMTT1-35	2	35			193	175	158	140	120	85	50		26260
4RSMTT1-45	3	45			248	225	203	180	160	115	68		30100

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 1.25"	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					25	35	40	50	60	70	75	85	
4RSMTS2-8	0.5	8			44	42	40	34	28	22	16	8	13328
4RSMTS2-10	0.75	10			55	50	45	40	30	20	10	4	14616
4RSMTS2-13	1	13			72	65	59	52	39	26	13	3	15828
4RSMTS2-15	1	15			85	71	67	55	40	23	10	4	16036
4RSMTS2-20	1.5	20			110	100	90	80	60	40	20	4	18749
4RSMTS2-25	2	25		TOTAL HEAD IN METER	138	124	113	98	74	48	25	4	24666
4RSMTS2-30	2	30			165	150	135	120	88	58	30	4	25562
4RSMTS2-35	3	35			195	174	158	137	104	68	34	4	28160
4RSMTT2-20	1.5	20			110	100	90	80	60	40	20	4	18749
4RSMTT2-25	2	25			138	124	113	98	74	48	25	4	24666
4RSMTT2-30	2	30			165	150	135	120	88	58	30	4	25562
4RSMTT2-35	3	35			195	174	158	137	104	68	34	4	28160
4RSMTT2-50	5	50			275	250	225	200	145	98	50	4	34250





RAASI[®]
Pumps - Pipes - Cables

**V4
SUBMERSIBLE
PUMPS**

V4 SUBMERSIBLE PUMPS

(Suitable for 5" & Above Dia Bore Wells)

Rotor: Copper, **Winding:** Copper Winding (Pvc Insulated)

Motor: SS Body,

Bowl & Impeller: Noryl / PVC Origin with ss neck ring

(4RSMTS = 1 Phase, 4RSMTT= 3 Phase & Followed by Impeller Size)



PER STAGE: 20 FEET HEAD

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 1.25"	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					45	55	65	75	90	100	115	125	
4RSMTS4-10	1	10			55	50	45	40	30	20	10	5	15549
4RSMTS4-15	1.5	15			83	75	68	60	45	30	15	5	18258
4RSMTS4-20	2	20			110	100	90	80	60	40	20	5	23704
4RSMTS4-28	3	28			155	140	125	112	83	56	28	5	27400
				TOTAL HEAD IN METER									
4RSMTT4-15	1.5	15			83	75	68	60	45	30	15	5	18258
4RSMTT4-20	2	20			110	100	90	80	60	40	20	5	23704
4RSMTT4-28	3	28			155	140	125	112	83	56	28	5	27400
4RSMTT4-42	5	42			232	210	190	168	125	85	42	5	32500

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 1.5"	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					55	65	80	90	110	130	150	160	
4RSMTS5-8	1	8			44	41	39	36	30	23	14	8	15496
4RSMTS5-15	2	15			84	80	74	67	57	43	28	14	23300
4RSMTS5-24	3	24			132	124	119	109	94	70	46	24	27400
				TOTAL HEAD IN METER									
4RSMTT5-15	2	15			84	80	74	67	57	43	28	14	23300
4RSMTT5-24	3	24			132	124	119	109	94	70	46	24	27400
4RSMTT5-35	5	35			193	183	175	157	139	105	68	35	32000

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 1.5"	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					85	100	115	125	150	170	180	190	
4RSMTS7-10	1.5	10			55	50	45	40	30	20	10	7	17900
4RSMTS7-14	2	14			75	70	63	56	42	28	14	7	23200
4RSMTS7-20	3	20			110	100	90	80	60	40	20	5	26200
				TOTAL HEAD IN METER									
4RSMTT7-10	1.5	10			55	50	45	40	30	20	10	7	16407
4RSMTT7-14	2	14			75	70	63	56	42	28	14	7	23200
4RSMTT7-20	3	20			110	100	90	80	60	40	20	5	26200
4RSMTT7-28	5	28			154	140	126	112	84	56	28	5	31300





RAASI[®]
Pumps - Pipes - Cables

**V4
SUBMERSIBLE
PUMPS**

V4 SUBMERSIBLE PUMPS

(Suitable for 5" & Above Dia Bore Wells)

Rotor: Copper, **Winding:** Copper Winding (Pvc Insulated)

Motor: SS Body,

Bowl & Impeller: Noryl / PVC Origin with ss neck ring

(4RSMTS = 1 Phase, 4RSMTT= 3 Phase & Followed by Impeller Size)



PER STAGE: 20 FEET HEAD

Model	H.P.	Stage	ISI STAR	OUTLET (INCH)	DISCHARGE IN LPM								PRICE PER PUMP SET WITH OUT PANEL
					90	105	120	135	160	180	190	200	
				2"									
4RSMTS10-10	2	10			55	50	45	40	30	20	10	5	22550
4RSMTS10-15	3	15			83	80	76	66	45	30	15	5	25350
				TOTAL HEAD IN METER									
4RSMTT10-10	2	10			55	50	45	40	30	20	10	5	22550
4RSMTT10-15	3	15			83	80	76	66	45	30	15	5	25350
4RSMTT10-25	5	25			138	125	113	100	75	50	25	5	30600

Model	H.P.	Stage	ISI STAR	OUTLET (INCH)	DISCHARGE IN LPM							PRICE PER PUMP SET WITH OUT PANEL
					100	115	130	150	165	200	220	
				2"								
4RSMTS12-8	2	8			44	40	36	32	24	16	8	22200
4RSMTS12-12	3	12			66	60	54	48	36	24	12	25000
				TOTAL HEAD IN METER								
4RSMTT12-8	2	8			44	40	36	32	24	16	8	22200
4RSMTT12-12	3	12			66	60	54	48	36	24	12	25000
4RSMTT12-18	5	18			99	90	81	72	54	36	18	29500





RAASI[®]
Pumps - Pipes - Cables

**V4
SUBMERSIBLE
PUMPS**

V4 SUBMERSIBLE PUMPS

(Suitable for 5" & Above Dia Bore Wells)

Rotor: Copper, **Winding:** Copper Winding (Pvc Insulated)

Motor: SS Body,

Bowl & Impeller: Noryl / PVC Origin with ss neck ring

(4RSMTS = 1 Phase, 4RSMTT= 3 Phase & Followed by Impeller Size)



PER STAGE: 20 FEET HEAD

Model	H.P.	Stage	ISI STAR	OUTLET (INCH) 2"	DISCHARGE IN LPM							PRICE PER PUMP SET WITH OUT PANEL
					130	155	200	255	310	380	430	
4RSMTS18-6	2	6			30	27	24	21	18	12	6	23900
4RSMTS18-9	3	9			43	40	36	32	27	18	9	27500
				TOTAL HEAD IN METER								
4RSMTT18-6	2	6			30	27	24	21	18	15	6	23900
4RSMTT18-9	3	9			43	40	36	32	27	18	9	27500
4RSMTT18-14	5	14			70	63	56	49	42	28	14	33000

V4 SUBMERSIBLE ONLY MOTOR

V4(Max.Dia 98mm)

V4(Max.Dia 98mm)

MODEL 1PHASE	H.P	PRICE	MODEL 3PHASE	H.P	PRICE
4RSMTS-M05	0.50	10880	4RSMTT-M15	1.50	14900
4RSMTS-M07	0.75	11960	4RSMTT-M20	2.00	19230
4RSMTS-M10	1.00	12860	4RSMTT-M30	3.00	21130
4RSMTS-M15	1.50	14900	4RSMTT-M50	5.00	24290
4RSMTS-M20	2.00	19230			
4RSMTS-M30	3.00	21130			



NOTE: Above performance may varied on field conditions, bore well yield, bore well depth, Cable selection & power fluctuations